

## Māori Health Indicator Performance: Non-Māori Population to March 2015.

Indicator	Data Period	Target	Auckland	Bay of Plenty	Canterbury	Capital & Coast	Counties Manukau	Hawke's Bay	Hutt Valley	Lakes	Mid Central	Nelson Marlborough	Northland	South Canterbury	Southern	Tairāwhiti	Taranaki	Waikato	Wairarapa	Waitemata	West Coast	Whanganui	Reached Target
PHO Enrolment <sup>1</sup>	Apr-Jun 2015	100%	91.9%	99.4%	96.5%	93.3%	98.2%	98.5%	98.6%	98.3%	94.0%	98.6%	100.0%	100.0%	93.5%	97.1%	99.2%	98.2%	100.0%	94.8%	93.0%	98.6%	3
ASH (0-74 yrs) <sup>2</sup>	Year to Dec 2014	1978	1463	1916	1741	1514	1574	1547	1775	1900	2095	1328	1606	1796	1528	2031	1535	1680	1803	1672	1533	1849	18
ASH (0-4 yrs) <sup>2</sup>	Year to Dec 2014	4428	2619	4673	4863	3283	3061	3808	5284	5576	4697	3907	3469	3439	5066	7825	3567	4198	3414	2927	3947	5667	12
ASH (45-64 yrs) <sup>2</sup>	Year to Dec 2014	2255	1737	1851	1665	1663	1960	1659	1638	1774	2251	1102	1741	1928	1250	1556	1378	1656	1928	2086	1501	1615	20
Breastfeeding (6 wks) <sup>3</sup>	2015 Q3	68%	65.1%	77.3%	64.6%	73.0%	58.3%	71.6%	65.8%	69.4%	66.5%	72.9%	71.5%	80.0%	69.3%	79.5%	67.7%	71.0%	80.0%	68.2%	63.3%	78.9%	13
Breastfeeding (3 mths) <sup>3</sup>	2015 Q3	54%	60.0%	62.0%	58.6%	65.5%	46.2%	56.9%	54.5%	66.5%	52.3%	65.8%	66.5%	55.7%	57.3%	65.0%	59.1%	59.4%	64.7%	61.2%	59.0%	59.5%	18
Breastfeeding (6 mths) <sup>3</sup>	2015 Q3	59%	77.1%	66.2%	69.1%	74.2%	60.9%	62.4%	68.0%	64.7%	66.0%	70.8%	81.6%	65.4%	67.4%	78.9%	64.1%	61.7%	74.2%	73.9%	66.7%	63.6%	20
Cardiovascular Risk Assessment <sup>4</sup>	2015 Q3	90%	92.0%	88.0%	78.2%	87.7%	91.2%	90.0%	86.2%	87.8%	84.9%	88.1%	91.2%	86.5%	83.1%	88.1%	90.7%	89.1%	89.1%	90.5%	90.3%	90.7%	8
Angiogram in High-Risk Patients <sup>5</sup>	2015 Q3	70%	89.0%	91.2%	88.1%	95.0%	90.1%	63.8%	69.4%	70.4%	60.5%	96.2%	68.2%	70.8%	83.1%	28.6%	75.0%	64.3%	50.0%	86.3%	71.4%	64.7%	12
Post-Angio Data Collection <sup>6</sup>	2015 Q3	95%	74.0%	96.6%	88.9%	58.3%	98.0%	59.4%	87.9%	82.8%	40.0%	76.6%	80.0%	92.9%	98.1%	83.3%	90.6%	76.3%	65.0%	76.4%	100.0%	76.9%	4
Breast Screening (50-69 yrs) <sup>7</sup>	2015 Q3	70%	65.7%	71.4%	80.4%	72.5%	70.2%	75.1%	76.2%	71.6%	78.1%	79.6%	73.7%	80.2%	74.8%	72.7%	75.8%	69.2%	73.8%	68.5%	77.7%	78.2%	17
Cervical Screening (25-69 yrs) <sup>8</sup>	2015 Q3	80%	89.5%	85.7%	78.6%	87.7%	79.8%	78.2%	80.2%	84.3%	78.1%	82.5%	78.0%	78.7%	82.7%	77.9%	83.7%	80.5%	76.3%	83.9%	77.1%	78.5%	10
Smoking Cessation (Hospital) <sup>9</sup>	2015 Q3	95%	96.4%	90.9%	96.6%	91.6%	94.9%	98.3%	95.1%	95.9%	97.0%	98.3%	95.6%	98.2%	95.1%	95.7%	93.6%	95.8%	94.8%	97.7%	97.8%	94.3%	14
Smoking Cessation (Primary) <sup>10</sup>	2015 Q3	90%	96.0%	95.0%	83.0%	84.0%	95.0%	90.0%	85.0%	86.0%	108.0%	100.0%	92.0%	93.0%	64.0%	90.0%	86.0%	88.0%	95.0%	99.0%	94.0%	91.0%	13
Immunisation (8 mths) <sup>11</sup>	2015 Q3	95%	93.8%	88.4%	95.3%	95.8%	93.0%	95.1%	94.8%	96.1%	94.4%	89.3%	86.7%	94.0%	94.7%	92.2%	91.2%	91.4%	95.4%	92.0%	89.0%	86.3%	5
Immunisation (Influenza) <sup>12</sup>	2015 Q2	75%	67.0%	70.0%	74.0%	70.0%	67.0%	71.0%	70.0%	69.0%	71.0%	70.0%	64.0%	71.0%	71.0%	66.0%	70.0%	68.0%	69.0%	65.0%	64.0%	76.0%	1
Mental Health <sup>13</sup>	2015 Q3	0	133	45	83	205	91	75	120	91	66	114	160	209	89	146	82	102	140	116	111	113	0

Indicator Legend
Target attained
Within 10% of target
10-20% away from target
Greater than 20% away from target

ASH Legend
National rate for Other (non-Māori non-Pacific) ethnic group attained
1-1.5 x ASH rate for Other ethnic group
1.5-2 x ASH rate for Other ethnic group
Greater than 2 x ASH rate for Other ethnic group

- Data for Smoking Cessation (Primary) indicator is for the High Needs & Total Population.
- DHBs have been allocated customised ASH targets based on past performance.
- The ASH 'targets' listed here are not targets set by the Ministry of Health; instead they represent the national 12-month rate for the Total population. DHBs should refer to the local ASH targets agreed to with the Ministry of Health for targets specific to their existing level of performance.
- Rheumatic fever targets were tailored to each DHB by the Ministry of Health. Because of historically low incidence, there is a single target and result for all South Island DHBs - this has been listed in the Canterbury DHB column. Rates were not calculated by the MoH where there were fewer than four cases. A small absolute number of cases will lead to unreliable rate estimates.
- Rheumatic fever reporting from the Ministry of Health is not disaggregated by ethnicity at this time, however most cases occur in Māori and Pacific people and so rates have been entered on the Māori dashboard. Note that these figures will include cases among those of ethnicities other than Māori.
- Breastfeeding results have been left blank where the number of cases was small.
- Please direct enquiries about this reporting dashboard to Riki Nia Nia ( riki.nia\_nia@middlemore.co.nz ) or Dr George Gray ( george@drgray.co.nz )

## Māori Health Indicator Performance: Māori Population to March 2015.

Indicator	Data Period	Target	Auckland	Bay of Plenty	Canterbury	Capital & Coast	Counties Manukau	Hawke's Bay	Hutt Valley	Lakes	Mid Central	Nelson Marlborough	Northland	South Canterbury	Southern	Tairāwhiti	Taranaki	Waikato	Wairarapa	Waitemata	West Coast	Whanganui	Reached Target
PHO Enrolment <sup>1</sup>	Apr-Jun 2015	100%	84.7%	92.8%	84.9%	85.9%	89.8%	95.4%	84.3%	98.9%	85.2%	87.4%	100.0%	83.6%	83.4%	100.0%	90.6%	95.6%	100.0%	83.7%	94.7%	91.1%	3
ASH (0-74 yrs) <sup>1</sup>	Year to Dec 2014	1978	3709	3827	2888	3337	3844	2873	3730	3420	2655	2537	3472	3237	2560	3546	2927	3632	3120	3450	2336	3070	0
ASH (0-4 yrs) <sup>1</sup>	Year to Dec 2014	4428	5602	7123	6708	7072	5563	5824	9277	7143	6161	6687	7521	5211	7630	7996	6393	7326	6870	4982	6027	9872	0
ASH (45-64 yrs) <sup>1</sup>	Year to Dec 2014	2255	4864	5395	3345	4445	5870	3944	4470	4202	3659	2863	4319	4373	2677	4068	3373	4827	4029	5331	3053	4016	0
Breastfeeding (6 wks) <sup>1</sup>	2015 Q3	68%	71.6%	71.0%	55.1%	65.9%	56.3%	62.6%	57.4%	51.4%	54.0%	51.4%	60.9%	46.7%	61.5%	59.3%	57.6%	62.1%	55.6%	63.0%	60.0%	59.5%	2
Breastfeeding (3 mths) <sup>1</sup>	2015 Q3	54%	57.2%	47.4%	44.8%	47.4%	36.7%	44.9%	31.0%	47.0%	36.7%	23.3%	41.9%	54.5%	42.3%	50.0%	48.4%	40.6%	50.0%	51.9%	40.0%	45.1%	2
Breastfeeding (6 mths) <sup>1</sup>	2015 Q3	59%	63.4%	60.7%	55.7%	62.7%	50.4%	50.5%	47.3%	50.9%	51.4%	50.0%	59.2%	33.3%	58.5%	75.0%	56.0%	48.6%	64.3%	66.8%	61.5%	32.8%	8
Cardiovascular Risk Assessment <sup>1</sup>	2015 Q3	90%	88.5%	81.5%	71.2%	82.4%	86.6%	86.2%	80.9%	82.1%	76.9%	80.4%	87.0%	74.5%	75.8%	86.2%	86.5%	84.3%	81.3%	85.4%	87.2%	88.2%	0
Angiogram in High-Risk Patients <sup>1</sup>	2015 Q3	70%	83.3%	43.8%	83.3%	100.0%	82.1%	62.5%	0.0%	75.0%	66.7%	100.0%	68.4%	50.0%	70.0%	60.0%	100.0%	53.6%	50.0%	78.6%	100.0%	33.3%	10
Post-Angio Data Collection <sup>1</sup>	2015 Q3	95%	83.3%	100.0%	100.0%	50.0%	100.0%	66.7%	100.0%	75.0%	66.7%	75.0%	73.7%	50.0%	100.0%	100.0%	100.0%	78.1%	50.0%	62.5%	0.0%	33.3%	7
Breast Screening (50-69 yrs) <sup>1</sup>	2015 Q3	70%	63.3%	58.9%	75.5%	63.3%	67.9%	65.9%	66.6%	65.0%	62.0%	76.2%	66.7%	75.0%	62.3%	66.8%	61.3%	57.7%	66.6%	60.0%	79.1%	68.6%	4
Cervical Screening (25-69 yrs) <sup>1</sup>	2015 Q3	80%	56.3%	63.0%	54.5%	63.6%	61.5%	74.6%	68.8%	69.5%	67.0%	67.7%	63.1%	48.6%	59.4%	66.0%	65.3%	60.3%	70.0%	55.4%	61.9%	67.6%	0
Smoking Cessation (Hospital) <sup>1</sup>	2015 Q3	95%	95.8%	91.3%	97.4%	92.1%	95.1%	98.5%	96.4%	97.9%	97.6%	98.0%	96.0%	100.0%	95.6%	97.7%	93.6%	96.5%	90.8%	95.4%	95.6%	94.8%	15
Smoking Cessation (Primary) <sup>1</sup>	2015 Q3	90%	99.0%	101.0%	84.0%	84.0%	96.0%	91.0%	86.0%	84.0%	112.0%	104.0%	92.0%	92.0%	67.0%	93.0%	91.0%	90.0%	95.0%	102.0%	95.0%	91.0%	15
Immunisation (8 mths) <sup>1</sup>	2015 Q3	95%	87.7%	88.5%	94.1%	91.4%	87.7%	95.8%	92.3%	95.2%	93.9%	84.9%	86.3%	100.0%	93.9%	89.7%	90.3%	90.1%	92.1%	86.9%	92.9%	82.8%	3
Immunisation (Influenza) <sup>1</sup>	2015 Q2	75%	68.0%	68.0%	73.0%	69.0%	68.0%	68.0%	70.0%	66.0%	69.0%	69.0%	63.0%	72.0%	71.0%	63.0%	69.0%	70.0%	68.0%	64.0%	64.0%	75.0%	1
Mental Health <sup>1</sup>	2015 Q3	0	525	206	213	738	301	292	301	290	153	298	540	387	192	403	180	377	439	394	58	140	0

Indicator Legend
Target attained
Within 10% of target
10-20% away from target
Greater than 20% away from target

ASH Legend
National rate for Other (non-Māori non-Pacific) ethnic group attained
1-1.5 x ASH rate for Other ethnic group
1.5-2 x ASH rate for Other ethnic group
Greater than 2 x ASH rate for Other ethnic group

- Data for *Smoking Cessation (Primary)* indicator is for the High Needs & Total Population.
- DHBs have been allocated customised ASH targets based on past performance.
- The ASH 'targets' listed here are not targets set by the Ministry of Health; instead they represent the national 12-month rate for the Total population. DHBs should refer to the local ASH targets agreed to with the Ministry of Health for targets specific to their existing level of performance.
- Rheumatic fever targets were tailored to each DHB by the Ministry of Health. Because of historically low incidence, there is a single target and result for all South Island DHBs - this has been listed in the Canterbury DHB column. Rates were not calculated by the MoH where there were fewer than four cases. A small absolute number of cases will lead to unreliable rate estimates.
- Rheumatic fever reporting from the Ministry of Health is not disaggregated by ethnicity at this time, however most cases occur in Māori and Pacific people and so rates have been entered on the Māori dashboard. Note that these figures will include cases among those of ethnicities other than Māori.
- Breastfeeding results have been left blank where the number of cases was small.
- Please direct enquiries about this reporting dashboard to Riki Nia Nia ( riki.nia\_nia@middlemore.co.nz ) or Dr George Gray ( george@drgray.co.nz )